# Image and Performance Enhancing Drug use

Research at LJMU Conference 13<sup>th</sup> October 2017 Liverpool

# Image and Performance Enhancing Drug use **Research at LJMU**







### Anabolic steroids & associated drugs

### Changes in use and concerns over last 20 years

### Jim McVeigh Director Public Health Institute







### Anabolic steroids through the public health lens

#### **Evidence required**

Prevalence
Characteristics of users

Reasons for use

Efficacy

🗲 Methods of use

🛧 Harms

Effective drug prevention Effective harm reduction

#### <u>2008</u>

Very little Some Quite confident Limited Basic Virtually nothing Nil Not much

#### 2017 (October)

Data to debate OK – We think t Not so sure Limited Good – for some Improved Some principles Transferable evidence

We <u>do</u> have effective engagement strategies







### Introduction

















Reproduced from www.ifbb.ru







Control freak and his reign of terror: Pumped full of steroids, sword-wielding club bouncer Moat thought he was irresistible

By PAUL SIMS FOR MAILONLINE UPDATED: 09:41, 5 July 2010



Raoul Moat is an unpredictable control freak with a violent temper who snaps without warning, say friends and family.

The 6ft-plus ex-nightclub bouncer, who is addicted to steroids and antidepressants, is so paranoid that he wired his house up with CCTV cameras and microphones, neighbours said.


He was caught by police carrying a serrated steel knuckle duster and a terrifying 5ft long Samurai sword and has links to Newcastle gangsters.



Mug shot: Moat was well known to Northumbria Police, and he believed they victimised him

#### Breivik used illegal drug mix before Norway massacre: expert

OSLO - Agence France-Presse



Anders Behring Breivik has his handcuffs removed in the courtroom in Oslo, Wednesday, May 30, 2012. AP photo










### In reality...



### 158 lbs

### 175 lbs





PHI Public Health Institute

### 40 years of Action Man











### Anabolic steroids definition

Mimic the effects of testosterone

Testosterone - anabolic & androgenic

Anabolic - growth & development of tissue


Androgenic - secondary male sexual characteristics








### **Testosterone production**










### Testosterone






 $\frown$ 

INSTITUTE FOR HEALTH RESEARCH

Public Health Institute

"It's chemical crutches. It's borrowed manhood. Its borrowed time. But just the same, its what makes bulls bulls."

"The day after the first subcutaneous injection, and still more after the two succeeding ones, a radical change took place in me ... ...nervous energy has been increased in every way...ability to do intellectual work has been increased i every way...."



de Kruif, 1945



Brown Sequard, 1889












The Strange Career of Leo Stanley: Remaking Manhood and Medicine at San Quentin State Penitentiary, 1913-1951.

http://www.academia.edu/1961928/The Strange Career of Leo Stanley Remaking Ma nhood and Medicine at San Quentin State Penitentiary 1913-1951





### Prevalence







### Steroids see four-fold increase, data shows, fuelled by rise in muscle-conscious young men

Got me out of there: reality TV star Spencer Matthews - brother-in-law of Pippa Middleton - was ejected from I'm A Celebrity when it emerged he had taken steroids CREDIT: ITV

#### By Camilla Turner, EDUCATION EDITOR


27 JULY 20 17 • 6:27PM

Steroids are the only drug in the UK to have seen a four-fold increase in the past year, official data shows, fuelled by a rise in muscle-conscious young men.

The vast majority of drugs have declined in usage compared to last year, with only a handful increasing by a small fraction, according to the most recent Crime Survey, published by the Home Office.

Use of anabolic steroids saw the biggest increase of all among 16-24 year-olds, from 0.1 per cent of the population to 0.4 per cent, meaning that an extra 19,000 young people have taken the drug in the past year.

'All' & 'new' clients attending agency based NSPs in Cheshire & Merseyside (1991 to 2011)



Year of Presentation/Attendance

# Proportion of NSP clients using enhancement drugs in the North of England

Middlesbrough	67%
Kirklees	60%
Sheffield	62%
Newcastle	52%
Sunderland	60%
Bradford	41%
Halton	86%
Liverpool	83%
Sefton	43%
St Helens	34%
Warrington	86%
Wirral	77%
Manchester	60%
Bolton	52%
	(McVeigh, 2014)





### Anabolic steroid users accessing NSPs in Cheshire and Merseyside, UK (1995 and 2015)

			1995 Male steroid users aged 20-29			2015 Male steroid users aged 20-29			2015
LA/DAT	1995 No. of steroid users	2015 No. of steroid users	No. users	Total Pop	Users per 1000 population	No. users	Total Pop	Users per 1000 population	All steroid users (all sources)
Cheshire	29	412	17	42468	0.40	238	38083	6.25	1214
HAL	12	328	10	8350	0.24	145	7731	18.76	616
KNW	25	178	15	10119	1.48	79	9444	8.37	178
LIV	223	153	164	36298	4.52	55	47145	1.17	278
SEF	40	85	25	16935	1.48	33	15647	2.11	791
SHL	45	411	33	12187	2.71	180	10729	16.78	605
WAR	29	233	17	12908	1.32	122	12525	9.74	677
WIR		646	96	18736	5.12	276	17697	15.60	980
Total	553	2446	377	200469	1.88	1128	197084	5.72	5336

(McVeigh & Begley, 2017)





### Anabolic steroid users accessing NSPs in Cheshire and Merseyside, UK (1995 and 2015)

Variable	1995	2015
Proportion of total NSP clients	17.1%	54.9%
Proportion male	96.5%	98.6%
Sum of syringes	14293	139956
No of syringes per individual	26	57
Age of male NSP clients		
Mean	26	31
Median	25	30

(McVeigh & Begley, 2017)







# Harms associated with anabolic steroid use









Adverse Health Consequences of Performance Enhancing Drugs An Endocrine Society Scientific Statement

Adverse effects on several organ/systems in particular:

- Cardiovascular effects
- Haematologic effects
- Psychiatric and neuropsychologic effects
- Hormonal and metabolic effects

Variety of less frequent effects on various other bodily tissues. Pope et al, 2013







### Bilateral deltoid abscesses pre-operative clinical appearance





Marquis & Maffulli, 2006







### Intra-operative drainage



Marquis & Maffulli, 2006







Unlinked Anonymous Monitoring Survey of People Who Inject image and performance enhancing drugs

	2010/11	2012/13
Anti-HIV Prevalence	1.5% (400)	2.0% (249)
Anti-HBc Prevalence	8.7% (400)	2.8% (249)
Anti-HCV Prevalence	5.4% (400)	3.6% (249)
Level of sharing (direct & indirect)	8.9% (392)	13% (243)
Hepatitis B vaccine uptake	24% (375)	40% (246)
Symptom of injection site infection	6.9% (389)	16% (238)
Ever been in prison	17% (377)	24% (247)

Hope, McVeigh et al, 2014





PHI Public Health Institute

Hepatitis C in injecting drug users in the North West 341 injecting drug users 53.1% hep C positive A Multi-Agency Study

Only 9 steroid injectors 5 hep C positive

PENNY A.COOK

JMU

Liverpool John Moores University

JIM MEVEIGH APURVA PATEL


EL QUTUB SYED KEN

KEN MUTTON MARK A.BELLIS





### Self reported psychological effects attributed to anabolic steroids




386 individuals - 1995





# Symptoms experienced when anabolic steroid use is stopped









### What else has changed?







### Use of drugs by male anabolic steroid injectors

Image and performance enhancing drug use, last year			
Years since first used an image and performance enhancing drug	0-4	36%	141
	5+	32%	128
	Median (IQR)	4 (8	3)
	Not reported	32%	126
Oral anabolic steroids		57%	226
Oral anti-oestrogens		23%	92
Oral clenbuterol		15%	60
Oral ephedrine		20%	78
Oral thyroid hormones		9%	37
Oral phosphodiesterase type 5 inhibitor (PDE5i; "Viagra/Calias")		6.6%	26
Oral other image and performance enhancing drug (inc. Diuretics,		12%	46
2,4-dinitrophenol and Pro/designer)			
Injected anabolic steroids		86%	340
Injected growth hormone		32%	128
Injected human chorionic gonadotropin (hCG)		16%	62
Injected insulin injected		5.6%	22
Injected melanotan		8.6%	34
Injected other image and performance enhancing drug (inc. ethryopoetir	ı.	5.1%	20
insulin-like growth factor 1 and nalbuphine hydrochloride)	-,		
Use of other illicit drugs			
Ever injected illicit drug other than an image and performance enhancing	a drua.	4.8%	19
Snorted cocaine in the last year	00	46%	181
Snorted, drunk or swallowed amphetamine in last year		12%	47
		(Hope et a	al. 2013)









### The growth of growth hormone

Author/ year Published	Sample	Growth hormone use
Korkia & Stimson Great Britain (1993)	110 anabolic steroid user interviews	2.7% (3/110) of those currently reporting anabolic stereid use also reported use of growth hormone in the past 6 months. Users were all male.
Lenehan et al. North West (1996)	386 interviews	5.7% (22/386) reported use of growth hormone in the past 6 months.
McVeigh et al Merseyside (2007)	85 anabolic steroid users interviews	21.2% reported use of growth hormone in the last 12 months
McVeigh et al Liverpool (2008)	27 anabolic steroid asers at NSPs and Snowball sampling	29.6% reported lifetime use of growth hormone, with 11.1% reporting current use.
Hope et al England & Wales (2013)	395 IPED users at 19 NSPs	32% injected growth hormone in previous year







### Cycles, dosages & stacks





dream plan achieve

## Types of anabolic steroid users

Generally divided on the basis of purpose or function.

- Sports competitors
- Occupational users
- Aesthetic users

Competitive/recreational sports participants Bodybuilders!!! Young people Testosterone replacement patients (self-medicating or prescribed)















## National IPED survey 2015 Cluster analysis

Number of adverse effects			
Alcohol use			
Psychoactive drugs used			
Motivations for steroid use			
Source of drugs			

Sample	Cluster 1	Cluster 2	Cluster 3	Cluster 4
(n=611;	(n=68;	(n=236;	(n=155;	(n=152;
100%)	11.1%)	38.6%)	25.4%)	24.9%)

(Zahnow et al, in prep)







## The IPED market

The biggest source of these drugs is the illicit market. It is vast and complex. In some cases the drugs are bought from Internet, 'bricks and mortar' shops or dealers. In others they are sold or given away by friends, family, partners, or other acquaintances.

Those involved in the illicit market range from cottage industries to large–scale operations.

Evans-Brown, McVeigh et al (2012)







## The Market

"You can't get anything pharmaceutical grade, everything is 'underground'"

"I've heard horror stories about dealers that I talk to...there'll be a tray of vials and they'll ask, 'what are you after?' [specific types of steroids] And they say, 'well there's the bottles, there's the labels, take whatever labels you need and just stick them on the bottles'"

(Steroid user, competing bodybuilder and gym owner aged 45)

"You wouldn't know, but you do find out the difference after you've finished your course and your are not getting the results you should be getting. I think that's a risk you take, it comes in life, it comes everywhere" (Steroid user aged 27)


















### The strange case of GHRP-6



"We aim for a high standard...."







## Supplements – they are safer!

Product Name	Steroid Identified	Estimated amount per tablet/capsule
Super Tren-MG	DHEA	28 mg
19-Nor Tren	DHEA	16 mg
Tren Bomb	Methyl-1-Testosterone	7 mg
Super Halo	DHEA	20 mg
Straight Epi	DMT	12 mg*
Straight Drol	Androstenedione	9 mg
Straight Phlexed	DMT	7 mg*
	Androstenedione	4 mg
Ultra Mass	DMT	17 mg*
	Methasterone	
11-Sterone	Androst-4-ene-3,11,17-trione	61 mg
Furuza-A	Furazabol	31 mg
Epivol	DMT	36 mg*
Epivol Black	Androstenedione	~1 mg
	Methasterone	2.4 mg*
S-Drol-17-Black	Methasterone	8 mg*
Straight Phlexed	Androstenedione 9 mg	
Super Halo	Methasterone 5 mg*	
Super Tren-MG	DHEA	21 mg
Tren Bomb	Methyl-1-Testosterone	7 mg Abbate et al, 2014











<sup>60</sup> Capsules · 10 <sup>mg</sup>

## SUPPLEMENT FACTS:

Other Ingredients: Brown Rice Flour, Magnesium Sterate, Gelatin and Water.

#### DIRECTIONS:

Adults – As a dietary supplement take 1 capsule upon waking and one capsule prior to bed.

> Manufactured for: PHARMA LABS Inc. Chicago, IL 60079







**COUNTERFEITS** A



he existence of counterfeit anabolic steroids is by no means a new phenomenon. Due to the

limited availability of genuine pharmaceutical products and the laws of supply and demand, many anabolic steroid users have grown to accept the fact that the majority of products available to them will be either fake or counterfeit. However it is important to note that although the terms "fake" and "counterfeit" may imply inferior quality, there is evidence to suggest that many of these products do in fact contain anabolic steroids (not always of the dosage or type specified). In some instances these products have acquired such a positive reputation that they have become sought after in their own right, even to the extent of being counterfeited themselves

Traditionally, fake anabolic steroids were relatively easy to identify if you knew what to look for. Poor packaging, badly printed or photocopied information inserts and bar codes that often appeared to have been drawn with a felt tip pen (and in some cases had been) were and still are the most obvious indications of fake products. Other pointers include visible contamination of ampoules variability in appearance and content of ampoules and vials, and incorrect tablet consistency. There are however, exceptions to these guidelines as is evident in the poor quality packaging of genuine pharmaceutical products manufactured in Developing Countries

While it is still possible to find these rather amateurish fakes being sold to the

unwary, a more sophisticated type of product has appeared on the market which is much more difficult to identify. One such example of these new high quality fakes is a range of both injectable and oral anabolic steroids, purported to have been manufactured in Portugal. However, on making enquiries into the legitimacy of the products, it was discovered that the company was non-existent and the address was that of a dentist in Lisbon who had no knowledge of the company or its products. These anabolic steroids were available to dealers for £3.50 each in bulk orders and were being sold on for anything between £8 and £17. The wholesale price of £3.50 seemed remarkably cheap for a product with such high quality packaging. One possible explanation for this was that these fakes did not contain any anabolic steroids at all.

S

land i i catali fi

Samples of these products, together with examples of other known fakes and counterfeits were sent to a pharmaceutical unit for analysis. At first we had some difficulty in persuading the analyst that they were in fact fakes and not genuine pharmaceutical products.

The results of the analyses were both interesting and disturbing. All of the samples were found to contain anabolic steroids. The amount of anabolic steroids however, varied considerably, ranging from 43.33% to 73.1% of their



stated content. The laboratory was able to confirm that neither Bio Delta Farmaceutica nor Coroa Laboratories were listed with the Royal Pharmaceutical Society of Great Brita and were not legitimate pharmaceu companies. A slight discrepancy w identified on the label of one box, dosage instructions referring to 10 instead of 10ml. The most disturbing aspect of the results is the variations in content

anabolic steroids. This is especial significant when one considers an steroids which we have had teste previously. One oral anabolic ster also produced by Bio Delta Farmaceutica was found to conta 182.8% of the stated content of

anabolic steroids. These results clearly demonstrate the problems facing anabolic steroid users who purchase products on the black market.

Many users will be aware of the probability of a product being fake or counterfeit. There is often the presumption that the fake steroid will be weaker than the stated content. The user will often compensate for this by increasing the amount taken. As illustrated above this could be a very dangerous practice.

active ingredient. There have been cases of high androgenic anabolic steroids being packaged as steroids with much lower androgenic properties. Many of the side-effects associated with anabolic steroids are a direct result of their androgenic properties. The potential for harm can be greatly increased if large doses of high androgenic anabolic steroids are used. The risk to female anabolic steroid users is particularly

worrying as the virilising effect of

irreversible side-effects.

androgens in women can result in

By Jim McVeigh & Pat Lenehan

There are problems regarding the giving of information about fakes and counterfeits. It must be emphasised that information on the contents of drugs which have been tested relates only to the specific substance tested, it must not be presumed that a product of identical appearance will necessarily have the same contents. Fake steroids will often use the same batch number all of the time. This means that different batches with potentially different amounts of active ingredients will always look the same. The "unknown Factor" also means that any advice regarding "safe" dosages or "less damaging" anabolic steroids can be misleading and potentially dangerous. Information on fake and counterfeit anabolic steroids should be used as a means of demonstrating the risks associated with the use of illicitly bought anabolic steroids.

In addition to the strength variations of black market anabolic steroids, there are many examples of the stated anabolic steroid being substituted with a different

Sincent				
utical vas the	TRADE NAME	MANUFACTURER	RESULT	
Omg	TESTOVIRON (10ML VIAL)	BIO DELTA FARMACEUTICA	67.54% OF STATED CONTENT	
se t of Ilv	DECADURABOL (10ML VIAL)	BIO DELTA FARMACEUTICA	43.33% OF STATED CONTENT	
nabolic d roid	STANAZOL 5MG TABLETS	BIO DELTA FARMACEUTICA	73.1% OF STATED CONTENT	
in	SUSTANON 250 (5ML VIAL)	COROA LABORATORIES	58.64% OF STATED CONTENT	

Issue 1 June 1994 RELAY

#### 8 RELAY June 1994 Issue 1








## Global phenomenon





### Global Drug Survey 2015 (89,509 responses)









## Region of residence: AAS users as proportion of GDS participants

Characteristics	Total males	Ever used	% of total males ever used	Used in the last 12 months	% of total male used in last 12 months
Region					
Europe	47,424	525	(1.10)	158	(0.33)
North America	3,038	96	(3.06)	27	(0.86)
South Americas	3,133	250	(7.39)	84	(2.48)
Oceania	4,080	104	(2.49)	38	(0.91)
Other	537	17	(3.07)	8	(1.44)
Total	58,212	993	(1.68)	315	(0.53)







### Global Drug Survey – 993 steroid users

Drug	Used in last 12 months	Lifetime use
Cannabis	63.1	87.8
Other drugs *	44.6	71.4
Ecstasy	41.8	61.3
Cocaine	38.7	61.3
Amphetamines	20.6	49.1
LSD	18.1	41.1
Benzodiazepines	28.2	34.8
NPS	14.0	31.0
Opiates	15.3	30.0

Zahnow et al (in press)

\* Including magic mushrooms, poppers, nitrous, ketamine and GHB







# The Future


































## The power of communication












# ...and finally



















## Jim McVeigh

#### Public Health Institute Liverpool John Moores University 0151 231 4512 j.mcveigh@ljmu.ac.uk

